EAST Search History

Ref. #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	416	(715/511).CCLS.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/07 10:56
L2	147	(715/516).CCLS.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/07 10:56
L3	3076	multimedia AND content AND metadata	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/07 10:57
L4	2181	L3 and (@ad<"20030718" or @rlad<"20030718")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/07 10:58
L5	1301	L4 and (rendering or provider)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/07 10:59
L6	650	L5 and player	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/07 10:59
S1	1130	(715/500).CCLS.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/07 10:56
S2	466	multimedia SAME content SAME metadata	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/07 10:57
S3	346	S2 and rat$3	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/04/25 08:34
S4	345	S3 and stor$3	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/04/25 08:36
S5	197	S4 and @ad<"20030718"	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/07 10:57
S6	4	("5920856" | "5970490" | "6170011" | "6311194").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/25 08:49

EAST Search History

S7	2	("20020103920").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/09/28 12:14
S8	2	("5761677").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/09/28 12:17
S9	0	(2002/0143976).CCLS.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 17:17
S10	2	("20020143976").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 17:18

P❂RTAL

USPTO

metadata retreival

THE ACM DIGITAL LIBRARY

🔫 Feedback Report a problem Satisfaction survey

Terms used **metadata** **retreival**   Found **2,868** of **185,942**

Sort results by [relevance ▾]   🔖 Save results to a Binder

Display results [expanded form ▾]   ❓ Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 21 - 40 of 200   Result page: previous 1 **2** 3 4 5 6 7 8 9 10 next
Best 200 shown   Relevance scale ☐▬▬■■

21 Research papers: enablement: The role of metadata in the CUBER system   ▬

Päivi Pöyry, Kirsi Pelto-Aho, Juha Puustjärvi

September 2002 **Proceedings of the 2002 annual research conference of the South African institute of computer scientists and information technologists on Enablement through technology SAICSIT '02**

Publisher: South African Institute for Computer Scientists and Information Technologists

Full text available: 📄 pdf(165.71 KB)   Additional Information: full citation, abstract, references, citings, index terms

The goal of the CUBER-project is to develop a system that supports learners in searching higher education courses from European universities. The metadata elements attached to course descriptions play a central role in the system. However, the process of specifying the appropriate metadata elements is problematic: the elements should be thorough enough to allow a wide range of searches, and on the other hand, entering the elements should not overly burden the course provider. The metadata specif ...

Keywords: e-learning, metadata specification, searching courses in the web, virtual university

22 Contributed articles: Resource description framework: metadata and its applications   ▬

K. Selçuk Candan, Huan Liu, Reshma Suvarna

July 2001 **ACM SIGKDD Explorations Newsletter**, Volume 3 Issue 1

Publisher: ACM Press

Full text available: 📄 pdf(1.02 MB)   Additional Information: full citation, abstract, references, citings

Universality, the property of the Web that makes it the largest data and information source in the world, is also the property behind the lack of a uniform organization scheme that would allow easy access to data and information. A semantic web, wherein different applications and Web sites can exchange information and hence exploit Web data and information to their full potential, requires the information about Web resources to be represented in a detailed and structured manner. Resource Descrip ...

Keywords: Resource Description Framework (RDF), Web, XML, metadata, semantic web

23   ▬
Models and tools for generating digital libraries: Localizing experience of digital content via structural metadata